Essex Wildlife Trust structured walk recording form – grassland monitoring

Stopping point	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	Total
Positive indicators																					
Adders tongue-fern																					
Agrimony																					
Betony																					
Bird's foot trefoil																					
Black knapweed																					
Burnet-saxifrage																					
Cowslip																					
Cuckoo flower																					
Devils bit scabious																					
Dyers greenweed																					
Grass vetchling																					
Green winged orchid																					
Harebell																					
Hawkbit																					
Lady's bedstraw																					
Lesser burnet																					
Meadow vetchling																					
Meadowsweet																					
Milkworts																					
Oxeye daisy																					
Pignut																					
Pepper-saxifrage																					
Ragged robin																					
Selfheal																					
Sneezewort																					
Small blue-green sedges																					
Tormentil																					
Yellow rattle																					

Negative indicators																					
Bracken																					
Broad-leaved dock																					
Cow parsley																					
Cleavers																					
Creeping thistle																					
Curled dock																					
Greater plantain																					
Nettle																					
Ragwort spp.																					
Spear thistle																					
Other indicators of sward composition / structure																					
Grass/herb ratio (%)																					
Indicators of waterlogging																					
Scrub ratio (%)																					
Sward height (cms)																					
Leaf litter (%)																					
Bare ground (%)																					